

PharmLabs San Diego Certificate of Analysis



Sample Sour Diesel

Delta9 THC ND | THCa ND | Total THC (THCa + 0.877 + THC) ND | Delta8 THC 84.01%

Sample ID SD250221-008 (107737) Matrix Concentrate
Tested for 420 Turbo
Sampled - Received Feb 20, 2025 Reported Feb 27, 2025
Analyses executed CANX, RES, MIBIG, MICX, MTO, PES, HME, FVI, D9C Unit Mass (g) 12.0

Summary D9C: The total Δ9-THC content in this sample is 0.00%. For the most accurate Δ9-THC concentration, refer to the GC MS/MS section of this COA. This sample was tested using HPLC and GC MS/MS. HPLC analysis can yield inconsistent results for Δ8-THC and Δ9-THC due to isomer interference: GC MS/MS was employed to avoid this issue. Please note, if THCa is present, the Δ9-THC level measured by GC MS/MS might be higher due to decarboxylation.

D9C - D9 Confirmation

Analyzed Feb 26, 2025 | Instrument GC MS/MS | Method SOP-041 D9C
The expanded Uncertainty of the D9 Confirmation analysis is approximately ±7.806% at the 95% Confidence Level

Table with 6 columns: Analyte, LOD ppb, LOQ ppb, Result %, Result mg/g, Result mg/Unit. Row: Δ9-Tetrahydrocannabinol (Δ9-THC)

CANx - Cannabinoids

Analyzed Feb 24, 2025 | Instrument HPLC-VWD | Method SOP-001
The expanded Uncertainty of the Cannabinoids analysis is approximately ±7.81% at the 95% Confidence Level

Table with 6 columns: Analyte, LOD mg/g, LOQ mg/g, Result %, Result mg/g, Result mg/Unit. Lists various cannabinoids like 11-Hydroxy-Δ8-Tetrahydrocannabinol, Cannabidiol, etc.



UJ Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



DCC license: C8-0000098-LIC
DEA license: RP0611043
ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
Thu, 27 Feb 2025 14:34:05 -0800

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.

HME - Heavy Metals

Analyzed Feb 25, 2025 | Instrument ICP/MSMS | Method SOP-005

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Arsenic (As)	0.0009	0.0027	ND	0.2
Cadmium (Cd)	0.0005	0.0015	ND	0.2
Mercury (Hg)	0.0058	0.0174	ND	0.2
Lead (Pb)	0.0006	0.0018	ND	0.2

MIBIG - Microbial

Analyzed Feb 24, 2025 | Instrument qPCR and/or Plating | Method SOP-007

Analyte	LOD CFU/g	LOQ CFU/g	Result CFU/g	Limit CFU/g
Shiga toxin-producing Escherichia Coli	1.0	1.0	ND	1
Salmonella spp.	1.0	1.0	ND	N/A
Aspergillus fumigatus	1.0	1.0	ND	1
Aspergillus flavus	1.0	1.0	ND	1
Aspergillus niger	1.0	1.0	ND	1
Aspergillus terreus	1.0	1.0	ND	1

MTO - Mycotoxin

Analyzed Feb 24, 2025 | Instrument LC/MSMS | Method SOP-004

Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg	Limit ug/kg	Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg	Limit ug/kg
Ochratoxin A	5.0	20.0	ND	20	Aflatoxin B1	2.5	5.0	ND	20
Aflatoxin B2	2.5	5.0	ND	20	Aflatoxin G1	2.5	5.0	ND	20
Aflatoxin G2	2.5	5.0	ND	20	Total Aflatoxins	10.0	20.0	ND	20

UJ Unidentified
 ND Not Detected
 N/A Not Applicable
 NT Not Reported
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



DCC license: C8-0000098-LIC
 DEA license: RP0611043
 ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
 Thu, 27 Feb 2025 14:34:05 -0800

PharmLabs San Diego | 3421 Hancock St., Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.

PES - Pesticides

Analyzed Feb 24, 2025 | Instrument LC/MSMS GC/MSMS | Method SOP-003

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Aldicarb	0.01	0.02	ND	0.02	Carbofuran	0.01	0.02	ND	0.02
Dimethoate	0.01	0.02	ND	0.02	Etofenprox	0.02	0.1	ND	0.1
Fenoxycarb	0.01	0.02	ND	0.02	Thiachloprid	0.01	0.02	ND	0.02
Daminozide	0.01	0.03	ND	0.03	Dichlorvos	0.02	0.07	ND	0.07
Imazalil	0.02	0.07	ND	0.07	Methiocarb	0.01	0.02	ND	0.02
Spiroxamine	0.01	0.02	ND	0.02	Coumaphos	0.01	0.02	ND	0.02
Fipronil	0.01	0.1	ND	0.1	Paclobutrazol	0.01	0.03	ND	0.03
Chlorpyrifos	0.01	0.04	ND	0.04	Ethoprophos (Propfos)	0.01	0.02	ND	0.02
Baygon (Propoxur)	0.01	0.02	ND	0.02	Chlordane	0.04	0.1	ND	0.1
Chlorfenapyr	0.03	0.1	ND	0.1	Methyl Parathion	0.02	0.1	ND	0.1
Mevinphos	0.03	0.08	ND	0.08	Abamectin	0.03	0.08	ND	0.08
Acephate	0.02	0.05	ND	0.05	Acetamiprid	0.01	0.05	ND	0.05
Azoxystrobin	0.01	0.02	ND	0.02	Bifenazate	0.01	0.05	ND	0.05
Bifenthrin	0.02	0.35	ND	0.1	Boscalid	0.01	0.03	ND	0.03
Carbaryl	0.01	0.02	ND	0.02	Chlorantranilprole	0.01	0.04	ND	0.04
Clofentazine	0.01	0.03	ND	0.03	Diazinon	0.01	0.02	ND	0.02
Dimethomorph	0.02	0.06	ND	0.06	Etoxazole	0.01	0.05	ND	0.05
Fenpyroximate	0.02	0.1	ND	0.1	Fonicamid	0.01	0.02	ND	0.02
Fludioxonil	0.01	0.05	ND	0.05	Hexythiazox	0.01	0.03	ND	0.03
Imidacloprid	0.01	0.05	ND	0.05	Kresoxim-methyl	0.01	0.03	ND	0.03
Malathion	0.01	0.05	ND	0.05	Metalaxyl	0.01	0.02	ND	0.02
Methomyl	0.02	0.05	ND	0.05	Myclobutanil	0.02	0.07	ND	0.07
Naled	0.01	0.02	ND	0.02	Oxamyl	0.01	0.02	ND	0.02
Permethrin	0.01	0.02	ND	0.02	Phosmet	0.01	0.02	ND	0.02
Piperonyl Butoxide	0.02	0.06	ND	0.06	Propiconazole	0.03	0.08	ND	0.08
Prallethrin	0.02	0.05	ND	0.05	Pyrethrin	0.05	0.41	ND	0.1
Pyridaben	0.02	0.07	ND	0.07	Spinosad A	0.01	0.05	ND	0.05
Spinosad D	0.01	0.05	ND	0.05	Spiromesifen	0.02	0.06	ND	0.06
Spirotetramat	0.01	0.02	ND	0.02	Tebuconazole	0.01	0.02	ND	0.02
Thiamethoxam	0.01	0.02	ND	0.02	Trifloxystrobin	0.01	0.02	ND	0.02
Acequinocyl	0.02	0.09	ND	0.09	Captan	0.01	0.02	ND	0.02
Cypermethrin	0.02	0.1	ND	0.1	Cyfluthrin	0.04	0.1	ND	0.1
Fenhexamid	0.02	0.07	ND	0.07	Spinetoram J,L	0.02	0.07	ND	0.07
Pentachloronitrobenzene	0.01	0.1	ND	0.1					

RES - Residual Solvents

Analyzed Feb 26, 2025 | Instrument GC/FID with Headspace Analyzer | Method SOP-006

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Propane (Prop)	0.044	0.4	ND	N/A	Butane (But)	0.02	0.4	ND	800
Methanol (Metha)	1.176	3.92	<LOQ	N/A	Ethylene Oxide (EthOx)	0.08	0.4	ND	N/A
Pentane (Pen)	0.024	0.4	ND	N/A	Ethanol (Ethan)	0.048	0.4	<LOQ	5000
Ethyl Ether (EthEt)	0.036	0.4	ND	N/A	Acetone (Acet)	0.044	0.4	<LOQ	N/A
Isopropanol (2-Pro)	1.16	3.868	55.4	N/A	Acetonitrile (Acetonit)	0.888	2.952	<LOQ	N/A
Methylene Chloride (MetCh)	0.04	0.4	ND	N/A	Hexane (Hex)	0.012	0.4	ND	100
Ethyl Acetate (EthAc)	0.032	0.4	ND	N/A	Chloroform (Clo)	0.028	0.4	ND	N/A
Benzene (Ben)	0.012	0.4	ND	N/A	1,2-Dichloroethane (1,2-Dich)	0.024	0.4	ND	N/A
Heptane (Hep)	0.012	0.4	ND	500	Trichloroethylene (TriClEth)	0.072	0.4	ND	N/A
Toluene	0.036	0.4	<LOQ	N/A	Xylenes (Xyl)	0.012	0.4	ND	N/A

FVI - Filth & Foreign Material Inspection

MICx - Microbial X

Analyzed Feb 24, 2025 | Instrument Plating | Method SOP-007

Analyte	LOD CFU/G	LOQ CFU/G	Result CFU/G	Limit CFU/G
Total Yeast & Molds (TYM)	1.0	1.0	ND	10000
Listeria (LIS)	1.0	1.0	ND	N/A
Gram Negative Bacteria (BTGN)	1.0	1.0	ND	1000
Total Viable Aerobic Bacteria (TVAB)	1.0	1.0	ND	100000

UJ Unidentified
 ND Not Detected
 N/A Not Applicable
 NT Not Reported
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



DCC license: C8-0000098-LIC
 DEA license: RP0611043
 ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
 Thu, 27 Feb 2025 14:34:05 -0800

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.